Distributed Systems II

Software Architecture

Brae Webb & Richard Thomas

March 25, 2024

Distributed Systems Series


Distributed I *Reliability* and *scalability* of stateless systems. Distributed II Complexities of stateful systems. Distributed III *Hard problems* in distributed systems.

Distributed Systems Series

Distributed I Reliability and scalability of stateless systems.
Distributed II *Complexities* of *stateful* systems.


Distributed III Hard problems in distributed systems.

Previously in CSSE6400...



What is the *problem*?

Database



Disclaimer

This is not a database course.



Advanced Database Systems (INFS3200)

Current cou
Course offerings

Course level Undergraduate Faculty

Engineering, Architecture & Information Technology

School

Info Tech & Elec Engineering

Units

2

Duration

One Semester

Class contact

2 Lecture hours, 1 Tutorial hour, 1 Practical or Laboratory hour

- Incompatible
- INFS7907

Prerequisite

INFS2200

Assessment methods

Example effects and descent states and final

Current course offerings

Course offerings	Location	Mode	Course Profile
Semester 1, 2022	St Lucia	Internal	COURSE PROFILE
Semester 1, 2022	External	External	COURSE PROFILE
Semester 2, 2022	External	External	PROFILE UNAVAILABLE
Semester 2, 2022	St Lucia	Internal	PROFILE UNAVAILABLE

Please Note: Course profiles marked as not available may still be in development.

Course description

Distributed database design, query and transaction processing, data integration, data warehousing, data cleansing, management of spatial data, and data from large scale distributed devices.

Archived offerings

Course offerings	Location	Mode	Course Profile
Semester 1, 2021	St Lucia	Flexible Delivery	COURSE PROFILE
Semester 1, 2021	External	External	COURSE PROFILE
Semester 2, 2021	External	External	COURSE PROFILE
Semester 2, 2021	St Lucia	Internal	COURSE PROFILE
Semester 1, 2020	St Lucia	Internal	COURSE PROFILE

How do we fix database scaling issues?

How do we fix database scaling issues?



How do we fix database scaling issues?

- Replication
- Partitioning

How do we fix database scaling issues?

- Replication
- Partitioning
- Independent databases

How do we fix database scaling issues?

- Replication
- Partitioning
- Independent databases

What is *replication*?

Definition 1. Replication Data copied across multiple different machines.

Application Database [Container: MySQL]

Stores customer credentials, products, and orders.

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	10	\$10.00
4321	Lifelike Elephant Inflatable	5	\$50.00

Application Database [Container: MySQL]

Stores customer credentials, products, and orders.

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	10	\$10.00
4321	Lifelike Elephant Inflatable	5	\$50.00

Definition 2. Replica

Database node which stores a copy of the data.

What are the advantages of *replication*?

What are the advantages of *replication*?

Answer

• *Scale* our database to cope with higher loads.

What are the advantages of *replication*?


- *Scale* our database to cope with higher loads.
- Provide *fault tolerance* from a single instance failure.

What are the advantages of *replication*?

- *Scale* our database to cope with higher loads.
- Provide *fault tolerance* from a single instance failure.
- Locate instances *closer to end-users*.

How do we replicate our data?

First approach Leader-Follower Replication




Leader-based Replication


On write Writes sent to *leader*, change is propagated via change stream.


Leader-based Replication


On write Writes sent to *leader*, change is propagated via change stream. On read Any *replica* can be queried.



Propagating changes Synchronous vs. Asynchronous







Synchronous Propagation

• Writes must propagate to *all followers* before being successful.

Synchronous Propagation

- Writes must propagate to *all followers* before being successful.
- *Any* replica goes down, *all* replicas are un-writeable.

Synchronous Propagation

- Writes must propagate to *all followers* before being successful.
- *Any* replica goes down, *all* replicas are un-writeable.
- Writes must *wait* for propagation to *all* replicas.

Asynchronous Propagation

• Writes don't have to wait for propagation.

 $A synchronous \ Propagation$


Writes *don't* have to *wait* for propagation.
If the leader goes down before propagating, the *write is lost*.


Asynchronous Propagation

- Writes don't have to wait for propagation.
- If the leader goes down before propagating, the *write is lost*.
- Replicas can have out-dated or *stale* data.

Definition 3. Replication Lag

The time taken for replicas to update *stale* data.







Eventually, all replicas must become consistent The system is eventually consistent.

 $Eventual\ Consistency$

Problems?
















Definition 4. Read-your-writes Consistency Users always see the updates that they have made.



Brae Webb @braewebb

My fist post



Brae Webb @braewebb

My fist post



Brae Webb @braewebb

My first post



Brae Webb @braewebb

My fist post




Brae Webb @braewebb

My first post



Brae Webb @braewebb

My fist post




Definition 5. Monotonic Reads Once a user reads an updated value, they don't later see the old value.

Summary

- Leader-follower databases allow *reads to scale* more effectively.
- Asynchronous propagation weakens consistency to *eventually consistent*.
- Leader-follower databases still have a *leader* write bottle-neck.

Second approach Multi-leader Replication



Why multi-leader?

• If you have multiple leaders, you can write to any, allowing *writes to scale*.

Why multi-leader?

• If you have multiple leaders, you can write to any, allowing *writes to scale*.

• A leader going down doesn't prevent writes, giving *better fault-tolerance*.

Question


What might go wrong?

Question

What might go wrong?

Answer


Write conflicts



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$ 10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	0	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

Where possible Avoid write conflicts



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

$Where \ impossible$

Convergence

Convergence Strategies

• Assign each *write* a unique ID.


Convergence Strategies

- Assign each write a unique ID.
- Assign each *leader replica* a unique ID.

$Convergence\ Strategies$

- Assign each *write* a unique ID.
- Assign each *leader replica* a unique ID.
- Custom resolution logic.

table	row	column	value
products	1234	stock	0



4321

table	row	column	value
products	1234	stock	19

\$50.00

5

Lifelike Inflatable Elephant

Resolving Conflicts

On Write When a conflict is first noticed, take proactive resolution action.


On Read When a conflict is next read, ask for a resolution.


Third Approach Leaderless Replication



How do they work?

Each read/write is sent to *multiple* replicas.





product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

Replica 1 [Container: Cassandra]

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$ 10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

How are changes propagated?

• Read Repair

How are changes propagated?

- Read Repair
- Anti-Entropy Process

Question How do we know it's consistent?



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

Replica 1 [Container: Cassandra]	
,,	

Replica 2 [Container: Cassandra]

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Nicholas Cage	5	\$50.00

Question How do we know it's consistent?

How do we know it's consistent?

Answer

Quorum Reads and Writes

Quorum Consistency

w + r > n


n total replicas w amount of replicas to write to r amount of replicas to read from Quorum Consistency

2 + 2 > 3

n total replicas w amount of replicas to write to r amount of replicas to read from Quorum Consistency

1 + 3 > 3

 $\begin{array}{l} n \text{ total replicas} \\ w \text{ amount of replicas to } write \text{ to} \\ r \text{ amount of replicas to } read \text{ from} \end{array}$




Question What about write conflicts?

Question What about write conflicts?

Answer

Same problem as with Multi-leader replication.


		product_id	name	stock	price
		1234	Nicholas Cage Reversable Pillow	20	\$10.00
ulfiliment Centre	Replica 3 [Container: Cassandra]	4321	Lifelike Inflatable Elephant	5	\$50.00



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price	
1234	Nicholas Cage Reversable Pillow	19	\$10.00	
4321	Lifelike Inflatable Elephant	5	\$50.00	



product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	19	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	20	\$10.00
4321	Lifelike Inflatable Elephant	5	\$50.00

• *Replication* copies data to multiple replicas.

• *Replication* copies data to multiple replicas.

• *Leader-based* replication is most common and simpliest.

- *Replication* copies data to multiple replicas.
- *Leader-based* replication is most common and simpliest.
- Replication introduces *eventual consistency*.

- *Replication* copies data to multiple replicas.
- *Leader-based* replication is most common and simpliest.
- Replication introduces *eventual consistency*.
- *Multi-leader* replication scales writes as well as reads but introduces *write conflicts*.

- *Replication* copies data to multiple replicas.
- *Leader-based* replication is most common and simpliest.
- Replication introduces *eventual consistency*.
- *Multi-leader* replication scales writes as well as reads but introduces *write conflicts*.
- *Leaderless* replication is another approach which keeps the problems of multi-leader.

How do we fix database scaling issues?

How do we fix database scaling issues?

Answer

- Replication
- Partitioning
- Independent databases

How do we fix database scaling issues?

Answer

- Replication
- Partitioning
- Independent databases

Definition 6. Partitioning

Split the data of a system onto multiple nodes. These nodes are *partitions*.

Application Database [Container: MySQL]

Stores customer credentials, products, and orders.

product_id	name	stock	price
4321	Lifelike Elephant Inflatable	5	\$50.00

Application Database

Stores customer credentials, products, and orders.

product_id	name	stock	price
1234	Nicholas Cage Reversable Pillow	10	\$10.00

How should we decide which data is stored where?

Student Database [Partition 0]

Student ID ranges [s0000000-s1000000]

student_id	name	
s0746283	Bobby Tables	

Student Database [Partition 1]

Student ID ranges [s1000001-s2000000]

student_id	name	
s1637285	Brae Webb	

Question What is the problem with this?

What is the problem with this?

Answer

Over time some partitions become inactive, while others receive almost all load.

How should we decide which data is stored where?

How should we decide which data is stored where?

Answer

Maximize spread of requests, avoiding *skewing*.

Question Have we seen this before?

Have we seen this before?

Answer

Hashing?

Question What is the problem with this?

What is the problem with this?


Answer

Range queries are inefficient, i.e. get all students between s444444 and s4565656.

How do we route queries?


Query-insensitive Load Balancer

Randomly route to any node, responsibility of the node to re-route to the correct node.




Query-sensitive Load Balancer

A load balancer which understands which queries should be forwarded to which node.



Client-aware Queries

Place the responsibility on clients to choose the correct node.



• *Partitioning* splits data across multiple nodes.

- *Partitioning* splits data across multiple nodes.
- Requires a *consistent method* to chose appropriate node.

- *Partitioning* splits data across multiple nodes.
- Requires a *consistent method* to chose appropriate node.
- Partitioning by *primary key* can create *skewing*.

- *Partitioning* splits data across multiple nodes.
- Requires a *consistent method* to chose appropriate node.
- Partitioning by *primary key* can create *skewing*.
- Partitioning by *hash* makes range queries less efficient.

- *Partitioning* splits data across multiple nodes.
- Requires a *consistent method* to chose appropriate node.
- Partitioning by *primary key* can create *skewing*.
- Partitioning by *hash* makes range queries less efficient.
- Three approaches to *routing requests*.

Disclaimer

We have ignored the hard parts of replication.

Question

How do we fix database scaling issues?

Question

How do we fix database scaling issues?

Answer

- Replication
- Partitioning
- Independent databases

Question

How do we fix database scaling issues?

Answer

- Replication
- Partitioning
- Independent databases



• Replications

• Leader-based, multi-leader, and leaderless

- Leader-based, multi-leader, and leaderless
- Eventual consistency

- Leader-based, multi-leader, and leaderless
- Eventual consistency
- Write conflicts

- Leader-based, multi-leader, and leaderless
- Eventual consistency
- Write conflicts
- Partitioning

- Leader-based, multi-leader, and leaderless
- Eventual consistency
- Write conflicts
- Partitioning
 - Consistent method to pick nodes for data

- Leader-based, multi-leader, and leaderless
- Eventual consistency
- Write conflicts
- Partitioning
 - Consistent method to pick nodes for data
 - Avoiding skewing