Software Architecture

Brae Webb & Richard Thomas

March 17, 2025

 ${\it Infrastructure}~as~Code$ 

## How did we get here?

Pre-2000 The Iron Age

## Iron Age



## Iron Age



## Scaling



Introducing... The Cloud Age

#### The Cloud Age



When faced with complexity Automate it!

Server Config Config Management

Server Config Config Management Application Config Config Files

Server Config Config Management Application Config Config Files Provisioning Infrastructure Code

Server Config Config Management Application Config Config Files Provisioning Infrastructure Code Building Continuous Integration

Server Config Config Management Application Config Config Files Provisioning Infrastructure Code Building Continuous Integration Deployment Continuous Deployment

Server Config Config Management Application Config Config Files Provisioning Infrastructure Code Building Continuous Integration Deployment Continuous Deployment Testing Automated Tests

Server ConfigConfig ManagementApplication ConfigConfig FilesProvisioningInfrastructure CodeBuildingContinuous IntegrationDeploymentContinuous DeploymentTestingAutomated TestsDatabase AdministrationSchema Migration

Server Config Config Management Application Config Config Files Provisioning Infrastructure Code Building Continuous Integration Deployment Continuous Deployment Testing Automated Tests Database Administration Schema Migration Specifications Behaviour Driven Development Definition 0. Infrastructure Code

Code that provisions and manages *infrastructure resources*.

Definition 0. Infrastructure Code

Code that provisions and manages *infrastructure resources*.

#### $Definition \ 0.$ Infrastructure Resources

Compute resources, networking resources, and storage resources.





### Shell Scripts

- 1 #!/bin/bash
- 3 SG=\$(aws ec2 create-security-group ...)
- 5 aws ec2 authorize-security-group-ingress --group-id "\$SG"

## Python

14

1 import boto3

```
def create instance():
3
        ec2_client = boto3.client("ec2", region_name="us-east-1")
4
        response = ec2.create_security_group(...)
5
        security_group_id = response['GroupId']
6
        data = ec2.authorize_security_group_ingress(...)
8
        instance = ec2_client.run_instances(
10
           SecurityGroups=[security_group_id],
11
           InstanceType="t2.micro",
12
13
            . . .
```

#### Terraform

```
resource "aws instance" "hextris-server" {
1
        instance_type = "t2.micro"
2
        security_groups = [aws_security_group.hextris-server.name]
3
4
        . . .
5
    resource "aws_security_group" "hextris-server" {
7
        ingress {
8
            from_port = 80
9
           to_port = 80
10
11
            . . .
        }
12
13
        . . .
14
```

Question

## Notice anything different?

## The main difference Imperative vs. Declarative

Declarative IaC

- Define your *desired* infrastructure state
  as code
- Engine interprets difference between the *desired* and *actual* state
  - Modifying infrastructure to deliver *desired* state

• Provisions and manages *infrastructure resources*.

- Provisions and manages *infrastructure resources*.
- Only one part of the movement to *automate* the complexities of development.

- Provisions and manages *infrastructure resources*.
- Only one part of the movement to *automate* the complexities of development.
- Ranges from simple shell scripts up to...?

- Provisions and manages *infrastructure resources*.
- Only one part of the movement to *automate* the complexities of development.
- Ranges from simple shell scripts up to...?
- Tendency to be *declarative*.

## Typo? Infrastructure Code $\neq$ Infrastructure as Code

Definition 0. Infrastructure as Code Following the same good coding practices to manage Infrastructure Code as standard code.

## *Warning!* Infrastructure as Code still *early* and quite *bad*.

Question

## What are *good coding practices*?

Good Coding Practice #1Everything as Code

#### 1 #!/bin/bash

- 3 ./download-dependencies
- 4 ./build-resources
- 5 cp -r output/\* artifacts/

#### 1 #!/bin/bash

- 3 ./download-dependencies
- 4 ./build-resources
- 5 cp -r output/\* artifacts/

\$ cp: directory artifacts does not exist

```
resource "aws_instance" "hextris-server" {
    instance_type = "t2.micro"
    security_groups = ["sg-6400"]
    ...
}
```

 $\mathbf{5}$ 

```
resource "aws_instance" "hextris-server" {
1
        instance_type = "t2.micro"
2
        security_groups = [aws_security_group.hextris-server.name]
3
4
        . . .
5
    resource "aws_security_group" "hextris-server" {
7
        ingress {
8
            from_port = 80
9
           to_port = 80
10
11
            . . .
        }
12
13
        . . .
14
```

Everything as code avoids Configuration drift

## Configuration drift creates Snowflakes

## Benefits

## 1. Reproducible

Good Coding Practice #2 Version Control

## Benefits

- 1. Restorable
- 2. Accountable

Good Coding Practice #3 Automation

# Benefits 1. Consistent

Good Coding Practice #4 Code Reuse

## Benefits

- 1. Better<sup>1</sup> code
- 2. Less work
- 3. Only one place to update (or verify)

Good Coding Practice #5 Testing Test Pyramid



#### IaC Test Pyramid



```
func TestTerraformAwsInstance(t *testing.T) {
   terraformOptions := terraform.WithDefault(t, &terraform.Options{
       TerraformDir: "../week03/",
   })
   defer terraform.Destroy(t, terraformOptions)
   terraform.InitAndApply(t, terraformOptions)
   publicIp := terraform.Output(t, terraformOptions, "public_ip")
   url := fmt.Sprintf("http://%s:8080", publicIp)
   http_helper.HttpGetWithCustomValidation(t, url, nil, 200,
       func(code, resp) { code == 200 &&
                          strings.Contains(resp, "hextris")})
```

1

2

3

4

6

7

9

10

12

13

14 15 1 Feature: Define AWS Security Groups

6

- Scenario: Only selected ports should be publicly open
   Given I have AWS Security Group defined
   When it contains ingress
  - Then it must only have tcp protocol and port 22,443 for 0.0.0.0/0

# Benefits 1. Trust

## Prac Next Week

# Learn how to use Terraform to write IaC and deploy resources on AWS.